SAFETY DATA SHEET

Fyfanon EW Insecticide

SDS #: FO002270-A **Revision date**: 2018-05-02

Format: NA Version 1.02



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Fyfanon EW Insecticide

Other means of identification

Product Code(s) FO002270-A

Legacy Product Code F4279-1; 3110-03

Synonyms MALATHION: diethyl [(dimethoxyphosphinothioyl)thio]butanedioate (CAS Name);

diethyl(dimethoxyphosphinothioylthio)succinate (IUPAC Name)

Active Ingredient(s) Malathion

Formula C₁₀H₁₉O₆PS₂ (Malathion)

Chemical Family Organophosphate

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1800 / 424-9300 (CHEMTREC - U.S.A.) 1703 / 741-5970 (CHEMTREC - International) 1703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SDS #: FO002270-A **Revision date: 2018-05-02**

Version 1.02

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Skin sensitization	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H320 - Causes eve irritation

H317 - May cause an allergic skin reaction

H410 - Very toxic to aquatic life with long lasting effects



Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P411 + P235 - Store at temperatures not exceeding 25°C/77°F. Keep cool.

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Organophosphate.

Chemical name	CAS-No	Weight %
Malathion Technical	121-75-5	40.9

SDS #: FO002270-A Revision date: 2018-05-02

Version 1.02

Sodium Hydroxide 1310-73-2 1-5			70.0.0.1
10.0.0	Sodium Hydroxide	1310-73-2	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical

attention if irritation develops and persists.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Inhalation Move person from contaminated area to fresh air. Seek medical attention immediately. If

person is not breathing, give artificial respiration, preferably by mouth-to-mouth, if possible.

Ingestion Do not induce vomiting without medical advice. Rinse mouth with water and afterwards

drink plenty of water or milk. If vomiting does occur, rinse mouth and drink fluids again. Never give anything by mouth to an unconscious person Immediate medical attention is

required.

Most important symptoms and effects, both acute and delayed

Malathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems

producing respiratory depression.

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. If any sign of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present. Treatment is symptomatic and supportive. Atropine sulfate is

antidotal.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, Carbon dioxide (CO₂), Water spray, Foam. Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

Hazardous Combustion Products

None known

The essential breakdown products are volatile, toxic, irritant and inflammable compounds

such as: Dimethyl sulphide, methyl mercaptan, Sulfur dioxide, Carbon monoxide, Carbon

dioxide (CO₂), phosphorus pentoxide.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available.

Yes.

Protective equipment and precautions for firefighters

Use water spray to cool fire exposed surfaces and protect personnel. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Dike to prevent runoff. As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

SDS #: FO002270-A **Revision date**: 2018-05-02

Version 1.02

Methods for Containment

Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with strong industrial detergent and much water. Absorb wash liquid onto a suitable absorbent such as hydrated lime, universal binder, attapulgite, bentonite or other absorbent clays and transfer contaminated absorbent to suitable containers. The used containers should be properly closed and labelled.

7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Use only in area provided with appropriate exhaust ventilation. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. Wear personal protective equipment. Refer to Section 8.

Storage

Keep at a temperature not exceeding 25°C. Keep away from heat and sources of ignition i.e., steam pipes, radiant heaters, hot air vents or welding sparks. Keep container tightly closed in a dry and well-ventilated place. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs. Keep/store only in original container. Keep in properly labeled containers.

Incompatible products

Strong alkalis, Amines, Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Malathion Technical	TWA: 1 mg/m ³	TWA: 15 mg/m ³	IDLH: 250 mg/m ³	Mexico: TWA 10 mg/m ³
(121-75-5)		S*	TWA: 10 mg/m ³	-
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³	Mexico: Ceiling 2 mg/m ³
(1310-73-2)			Ceiling: 2 mg/m ³	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Malathion Technical	TWA: 1 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
(121-75-5)	Skin	Skin	inhalable fraction and	Skin
			vapor	
			Skin	
Sodium Hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³
(1310-73-2)	-			

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For exposure to mists or sprays, wear safety goggles or face shield for chemical agents.

Maintain eye wash fountain and quick-drench facilities in work area.

Skin and Body ProtectionMinimize skin contamination by following good industrial hygiene practices.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

SDS #: FO002270-A **Revision date:** 2018-05-02

Version 1.02

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceSuspensionPhysical StateLiquidColorOff-whiteOdorGlue-like

Odor threshold No information available

pH 4.53 @ 25°C (undiluted); 5.32 @ 25°C (1% dilution in water)

No information available

The pH is expected to decrease on prolonged storage

Melting point/freezing point < 0 °C

Boiling Point/RangeNo information availableFlash point> 100 °C / 212 °F (PMCC)Evaporation RateNo information available

Flammability (solid, gas) Not applicable (Product is a liquid)

Flammability Limit in Air
Upper flammability limit:

No information available Lower flammability limit: No information available Vapor pressure Vapor density No information available Relative density 1.072 g/mL @ 20°C Specific gravity No information available Water solubility Miscible with water Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available

Viscosity, dynamic 1092 mPa.s at 20°C, 973 mPa.s at 40°C

Explosive propertiesOxidizing properties
Not explosive Non-oxidizing

Molecular weightNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable up to 100 °C. Heating above this temperature may cause explosive decomposition.

Possibility of Hazardous Reactions None known.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heating can release hazardous gases. The product should never be heated above 55°C.

Local heating above this temperature should be avoided as well.

Incompatible materials Strong alkalis, Amines, Strong oxidizing agents.

Hazardous Decomposition Products See Section 5 for more information.

11. TOXICOLOGICAL INFORMATION

SDS #: FO002270-A **Revision date:** 2018-05-02

Version 1.02

Product Information

Serious eye damage/eye irritation Skin corrosion/irritation Mildly irritating (rabbit). Mildly irritating (rabbit).

Sensitization

May cause sensitization by skin contact

Information on toxicological effects

Symptoms Malathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems

producing respiratory depression. On contact, the first symptoms to appear may be irritation. Symptoms of cholinesterase inhibition: nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing,

nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle

spasms and coma.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity The product contains no ingredients known to be mutagenic.

Carcinogenicity Malathion Limited evidence of a carcinogenic effect

Neurological effects Malathion: No information available

Reproductive toxicityThis product does not contain any known or suspected reproductive hazards.

STOT - single exposure No known effects under normal use conditions.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Nervous System, Acetylcholinesterase Inhibition

Neurological effects Malathion: No information available

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Malathion Technical		Group 2A		X
121-75-5				

Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Malathion Technical (121-75-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Malathion	96 h LC50	Oncorhynchus mykiss (rainbow trout)	0.18	mg/L
	37-day NOEC	Oncorhynchus mykiss (rainbow trout)	21	μg/L
	48 h EC50	Daphnia magna	0.72	μg/L
	21 d NOEC	Daphnia magna	0.06	μg/L
	72-h IC50	Selenastrum capricornutum	4.06	mg/L
	LD50	Bobwhite quail	359	mg/kg
	5-day dietary LC50	Bobwhite quail	3497	mg/kg
	LD50	Mallard duck	1485	mg/kg
	14-day LC50	Earthworm	613	mg/kg
	LD50 acute oral	Honey bees	0.38	μg/bee

SDS #: FO002270-A Revision date: 2018-05-02

Version 1.02

LD50 topical Honey bees 0.27 µg/bee

Persistence and degradability Malathion: Biodegradable, but does not meet the criteria for being readily biodegradable,

Non-persistent.

Bioaccumulation Malathion: Not expected to bioaccumulate.

Mobility Malathion: Medium mobility; has some potential to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOTNOT REGULATED Classification below is only applicable when this material is packaged in

quantities of 240 lbs or more

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Reportable Quantity (RQ) Malathion Marine Pollutant Malathion.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Malathion), 9, III, RQ

<u>TDG</u> Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Malathion.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Malathion), 9, III, RQ

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082. Environmentally hazardous substance, liquid, n.o.s. (Malathion), 9, III

Limited quantity 30 kg G

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Malathion

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Malathion), 9, III

SDS #: FO002270-A **Revision date**: 2018-05-02

Version 1.02

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Malathion Technical - 121-75-5	121-75-5	40.9	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Malathion Technical	100 lb			X
121-75-5				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Malathion Technical 121-75-5	100 lb 45.4 kg	
Hydrogen peroxide 7722-84-1		1000 lb

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

Toxic to aquatic organisms, including fish and invertabrates

Highly toxic to bees exposed to direct treatment on blooming crops or weeds.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65	
Malathion Technical - 121-75-5	Carcinogen	

U.S. State Right-to-Know Regulations

SDS #: FO002270-A **Revision date**: 2018-05-02

Version 1.02

Chemical name	New Jersey	Massachusetts	Pennsylvania
Malathion Technical 121-75-5	X	X	Х
Sodium Hydroxide 1310-73-2	X	X	Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Malathion Technical 121-75-5		X	X	Χ	X	Х	X	Х
Sodium Hydroxide 1310-73-2	Х	Х	X	Х	Х	Х	Х	Х

Mexico - Grade

Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
Malathion Technical		Mexico: TWA 10 mg/m ³
Sodium Hydroxide		Mexico: Ceiling 2 mg/m ³

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2B - Toxic materials



16. OTHER INFORMATION	

NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2018-05-02

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

SDS #: FO002270-A **Revision date:** 2018-05-02

Version 1.02

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet